

FIGURE 1A





FIGURE 1B



Title: Purified and Isolated Platelet Calcium Channel Nucleic
Acids and Polypeptides and Therapeutic and Screening
Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

FIGURE 1C



FIGURE 1D



Title: Purified and Isolated Platelet Calcium Channel Nucleic
Acids and Polypeptides and Therapeutic and Screening
Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

FIGURE 2A





FIGURE 2B



Title: Purified and Isolated Platelet Calcium Channel Nucleic Acids and Polypeptides and Therapeutic and Screening Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Figure 3

>ref|XM_001910.1| Homo sapiens calcium channel, voltage-dependent, L type, alpha 1S subunit (CACNA1S), mRNA, Length = 6615

Score = 79.8 bits (40), Expect = 1e-12
Identities = 46/48 (95%)
Strand = Plus / Plus

Query: 1 ctgattgtcatcgccggcagcatcattgacgtcatcctcagttagatcgac 48
||||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 3938 ctgattgtcattggcaggcatcattgatgtcatcctcagttagatcgac 3985

Score = 622 bits (314), Expect = e-176
Identities = 462/510 (90%), Gaps = 1/510 (0%)
Strand = Plus / Plus

Query: 49 gaccccgacgagagtgcggcataccgcgcctttccgcctgttccgggtcatgagg 108
||||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4043 gacccagatgagagtgcggcataccgcgcctttccgcctgttccgtgtcatgagg 4102

Query: 109 ttgatcaagctgctgagccgcgcgaggcggtgcgcacgcgtgtccggaccttcatcaag 168
||||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4103 ctgatcaagctgctgagccggcagaaggagtgcgaaccctcctgtggacgttcatcaag 4162

Query: 169 tccttcaggcccctgcctacgtggctctgctcatcgatgtcttcttatgtct 228
||||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4163 tccttcaggcccctaccctacgtggctctgctcatcgatgtcttcttatgtct 4222

Query: 229 gtcatcgccatgcagatgttggaaagatgcgcattgtggacggaaacccagataaaccgg 288
||||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4223 gtcatcgccatgcagatgttggaaagatgcgcattgtggatggacccaaataaaccgg 4282

Query: 289 aacaacaattccagaccccttcaggctgtgtctgtcttcagggtgcgcacgggt 348
||||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4283 aacaacaactccagacccctccacaaagctgtgactgtcttcagggtgcacagg 4342

Query: 349 gaggcgtggcaggagatccgtctggcctgcaggtacggtacggcagctgtgcgacccggatca 408
||||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4343 gagggctggcaggagatccgtactggcctgcaggatggaaagctgtgtgacccaggatcg 4402

Query: 409 gactacccctggggaggagataacctgcggcaccgacttcgcctactacttcatc 468
||||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4403 gactatgccccaggggaggatcacacatgtggcaccacacttgcataactacttcatc 4462

Query: 469 agtttctacatgtctgtgccttcgtatcatcaacccctttgtggctgtgatcatggac 528
||||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4463 agtttctacatgtctgtgccttcgtatcatcaacccctttgtggctgtgatcatggac 4522

Title: Purified and Isolated Platelet Calcium Channel Nucleic
Acids and Polypeptides and Therapeutic and Screening
Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 529 aattttgactacacctcaccc-ggactggtcc 557
||||||| ||||| ||||| |||||
Sbjct: 4523 aattttgactacacctcacccggactggtcc 4552

>ref|NM_000069.1| Homo sapiens calcium channel, voltage-dependent, L type,
alpha 1S, subunit (CACNA1S), mRNA, Length = 6160

Score = 79.8 bits (40), Expect = 1e-12
Identities = 46/48 (95%)
Strand = Plus / Plus

Query: 1 ctgattgtcatcgccagcatcattgacgtcatcctcagtgagatcgac 48
||||||| ||||| ||||| |||||
Sbjct: 3787 ctgattgtcattggcagcatcattgatgtcatcctcagtgagatcgac 3834

Score = 622 bits (314), Expect = e-176
Identities = 462/510 (90%), Gaps = 1/510 (0%)
Strand = Plus / Plus

Query: 49 gaccccgacgagagtgcggcgcattccaggcgccctttccgcctgttccgggtcatgagg 108
||||||| ||||| ||||| |||||
Sbjct: 3892 gacccagatgagagtgcggcgcattccaggcgccctttccgcctgttccgtgtcatgagg 3951

Query: 109 ttgatcaagctgctgagccgcgcggagggcgtgcgcacgctgctccggaccttcatcaag 168
||||||| ||||| ||||| |||||
Sbjct: 3952 ctgatcaagctgctgagccggcagaaggagtgcgaaccctctgtggacgttcatcaag 4011

Query: 169 tccttcaggcccgtccctacgtggctctgtcatcgcatgtctttttcatctatgt 228
||||||| ||||| ||||| |||||
Sbjct: 4012 tccttcaggcccgtccctacgtggctctgtcatcgcatgtctttttcatctatgt 4071

Query: 229 gtcatcgcatgcagatgttggaaagatcgccatggtgacggAACCCAGATAAAACCGG 288
||||||| ||||| ||||| |||||
Sbjct: 4072 gtcatcgcatgcagatgttggaaagatcgccatggtgatgggacccaaataaaacgg 4131

Query: 289 aacaacaattccagacccctccctcaggctgtgtgtcttcagggtgcggccacgggt 348
||||||| ||||| ||||| |||||
Sbjct: 4132 aacaacaactccagacccctccacaagctgtgtactgtcttcagggtgtcaacaggt 4191

Query: 349 gaggcgtggcaggagatcctgtggcctgcaggtacggtacggcagctgtgcgaccccgagtca 408
||||||| ||||| |||||
Sbjct: 4192 gaggcgtggcaggagatcctactggcctgcagctatggaaagctgtgtgacccagagtgc 4251

Query: 409 gactacccctggggaggagtatacctgcggcaccgacttcgcctactactacttcatc 468
||||||| ||||| |||||
Sbjct: 4252 gactatccccaggggaggagtacacatgtggaccaactttgcataactacttcatc 4311

Title: Purified and Isolated Platelet Calcium Channel Nucleic Acids and Polypeptides and Therapeutic and Screening Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 469 agcttctacatgtctgtgccttcgtatcatcaaccttttgtggctgtatcatggac 528
||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Sbjct: 4312 agcttctacatgtctgtgccttcgtatcatcaaccttttgtggctgtatcatggac 4371

Query: 529 aattttgactacctcaccc-ggactggtc 557
||| ||| ||| ||| ||| ||| |||
Sbjct: 4372 aattttgactacctcacccggactggtc 4401

>gb|L33798.1|HUMCACNLA Human dihydropyridine-sensitive L-type calcium channel alpha-1 subunit (CACNL1A3) mRNA, complete cds, Length = 6160

Score = 79.8 bits (40), Expect = 1e-12
Identities = 46/48 (95%)
Strand = Plus / Plus

Query: 1 ctgattgtcatcgccggcagcatattgacgtcatcctcaagtggagatcgac 48
||| ||| ||| ||| ||| ||| ||| |||
Sbjct: 3787 ctgattgtcatggcggcagcatattgatgtcatcctcaagtggagatcgac 3834

Score = 622 bits (314), Expect = e-176
Identities = 462/510 (90%), Gaps = 1/510 (0%)
Strand = Plus / Plus

Query: 49 gaccggacgagagtgcggcatctccaggcgttccgcgttcgggtcatgagg 108
|||||||
Sbjct: 3892 gaccggatgagagtgcggcatctccaggcgttccgcgttcgggtcatgagg 3951

Query: 109 ttgatcaagctgtcgagccgcggcggcgacccgtcatcaag 168
Sbjct: 3952 ctgatcaagctgtcgagccggcagaaggagtgcgaacctctgtggacgttcatcaag 4011

Query: 169 tccttcaggccctgcctacgtggctctgctcatcgatcatgtcttcatctatgtc 228
||||||| ||||| ||||| |||||
Sbjct: 4012 tccttcaggccctaccctacgtggctctgctcatcgatcatgtcttcatctacgtc 4071

Query: 229 gtcatcgcatgcagatgtttggaaagatcgccatggtgacggAACCCAGATAAAACCGG 288
||||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
Sbjct: 4072 gtcatcgcatgcagatgtttggaaagatcgccatggtgatgggACCCAAATAAAACCGG 4131

Query: 289 aacaacaattccagaccccttcaggctgtctcgctcttcagggtgcggccacgggt 348
||||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4132 aacaacaacttccagacccctccacaagctgtctactgctcttcagggtgtcaacaggt 4191

Query: 349 gaggcgtggcaggagatcctgctggcctgcaggtaacggcagctgtgcaccccgagtca 408
||||||| ||||||| ||||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
Sbjct: 4192 gaggcctggcaggadatcctactggcctacactatggaaagctgtgtaccccgaaatcg 4251

Title: Purified and Isolated Platelet Calcium Channel Nucleic
Acids and Polypeptides and Therapeutic and Screening
Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 409 gactaacctccctggggaggaggataacctgcggcaccgacttcgcctactactacttcatc 468
Sbjct: 4252 gactatccccaggggaggaggatcacacatgtggcaccaactttgcataactactacttcatc 4311

Query: 469 agcttctacatgctctgtgccttcctgatcatcaacctcttggctgtgatcatggac 528
Sbjct: 4312 agcttctacatgctctgtgccttcctggatcatcaacctcttggctgtgatcatggac 4371

Query: 529 aattttgactacacctaccc-ggactggtcc 557
Sbjct: 4372 aattttgactacacctacccggactggtcc 4401

Figure 4

Title: Purified and Isolated Platelet Calcium Channel Nucleic
Acids and Polypeptides and Therapeutic and Screening
Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 487 agcttctacatg 498
|||||||
Sbjct: 4463 agcttctacatg 4474

Title: Purified and Isolated Platelet Calcium Channel Nucleic Acids and Polypeptides and Therapeutic and Screening Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Figure 5

>ref|XM_003238.1| Homo sapiens calcium channel, voltage-dependent, L type, alpha 1D subunit (CACNA1D), mRNA, Length = 7362

Score = 89.7 bits (45), Expect = 1e-15
Identities = 45/45 (100%)
Strand = Plus / Plus

Query: 1 ctcatcgtaatcggcagcattatacgtggccctcagcgaagca 45
Sbjct: 4171 ctcatcgtaatcggcagcattatacgtggccctcagcgaagca 4215

Score = 946 bits (477), Expect = 0.0
Identities = 496/500 (99%), Gaps = 2/500 (0%)
Strand = Plus / Plus

Query: 49 aactctgaagagagcaatagaatctccatcacctttccgtctttccgagtgtgcga 108
Sbjct: 4264 aactctgaagagagcaatagaatctccatcacctttccgtctttccgagtgtgcga 4323

Query: 109 ttggtaagcttctcagcaggggggaaaggcatccgacattgtgtggactttattaag 168
Sbjct: 4324 ttggtaagcttctcagcaggggggaaaggcatccgacattgtgtggactttattaag 4383

Query: 169 tccttcaggcgctccgtatgtggccctcctcatagccatgctgtttcatctatgcg 228
Sbjct: 4384 tccttcaggcgctccgtatgtggccctcctcatagccatgctgtttcatctatgcg 4443

Query: 229 gtcattggcatgcagatgttggaaagttccatgagagataacaaccagatcaatagg 288
Sbjct: 4444 gtcattggcatgcagatgttggaaagttccatgagagataacaaccagatcaatagg 4503

Query: 289 aacaataacttccagacgttcccaggcggtgtgtgtgtgtcaacagg 348
Sbjct: 4504 aacaataacttccagacgttcccaggcggtgtgtgtgtcaacagg 4563

Query: 349 gaggcctggcaggagatcatgctggcctgtctccaggaaagctctgtgaccctgagtca 408
Sbjct: 4564 gaggcctggcaggagatcatgctggcctgtctccaggaaagctctgtgaccctgagtca 4623

Query: 409 gattacaacctcgggaggagtatacatgtggagcaacttgcattgtctatccatc 468
Sbjct: 4624 gattacaacctcgggaggagtatacatgtggagcaacttgcattgtctatccatc 4683

Query: 469 agnttttacatgctctgtgcatttctga-catcaatctgtttggctgtcatcatgga 527
Sbjct: 4684 agtttttacatgctctgtgcatttctgtcatcaatctgttt-gtggctgtcatcatgga 4742

Title: Purified and Isolated Platelet Calcium Channel Nucleic Acids and Polypeptides and Therapeutic and Screening Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 528 taatttcgactatctgaccc 547
Sbjct: 4743 taatttcgactatctgaccc 4762

>ref|NM_000720.1| Homo sapiens calcium channel, voltage-dependent, L type, alpha 1D subunit (CACNA1D), mRNA, Length = 7193

Score = 87.7 bits (44), Expect = 5e-15
Identities = 44/44 (100%)
Strand = Plus / Plus

Query: 1 ctcatcgtaatcgccagcattatacgtggccctcagcgaagc 44
Sbjct: 4001 ctcatcgtaatcgccagcattatacgtggccctcagcgaagc 4044

Score = 946 bits (477), Expect = 0.0
Identities = 496/500 (99%), Gaps = 2/500 (0%)
Strand = Plus / Plus

Query: 49 aactctgaagagagcaatagaatctccatcacctttccgtcttccgagtgtgcga 108
Sbjct: 4094 aactctgaagagagcaatagaatctccatcacctttccgtcttccgagtgtgcga 4153

Query: 109 ttggtaagacttctcagcaggggggaaaggcatccggacattgtgtggactttattaag 168
Sbjct: 4154 ttggtaagacttctcagcaggggggaaaggcatccggacattgtgtggactttattaag 4213

Query: 169 tccttcaggcgctccgtatgtggccctcctcatagccatgctgttccatctatgcg 228
Sbjct: 4214 tccttcaggcgctccgtatgtggccctcctcatagccatgctgttccatctatgcg 4273

Query: 229 gtcattggcatgcagatgttggaaagttgcattgagagataacaaccagatcaatagg 288
Sbjct: 4274 gtcattggcatgcagatgttggaaagttgcattgagagataacaaccagatcaatagg 4333

Query: 289 aacaataactccagacgttccccaggcggtgtgtgcgtcttcaggtgtgcacacagg 348
Sbjct: 4334 aacaataactccagacgttccccaggcggtgtgtgcgtcttcaggtgtgcacacagg 4393

Query: 349 gaggcctggcaggagatcatgtgtgcctgtctcccaggaaagctctgtgaccctgagtc 408
Sbjct: 4394 gaggcctggcaggagatcatgtgtgcctgtctcccaggaaagctctgtgaccctgagtc 4453

Query: 409 gattacaacctcgggaggagtatacatgtggagcaacttgcattgtctatccatc 468
Sbjct: 4454 gattacaaccccgggaggagtatacatgtggagcaacttgcattgtctatccatc 4513

Title: Purified and Isolated Platelet Calcium Channel Nucleic Acids and Polypeptides and Therapeutic and Screening Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 469 agntttacatgctctgtcatttctga-catcaatctgtttggctgtcatcatgga 527
||| ||||| ||||| ||||| |||||
Sbjct: 4514 agttttacatgctctgtcatttctgtatcatcaatctgttt-gtggctgtcatcatgga 4572

Query: 528 taatttcgactatctgaccc 547
||| ||||| |||||
Sbjct: 4573 taatttcgactatctgaccc 4592

>gb|M83566.1|HUMCAC1A Human neuroendocrine/beta-cell-type calcium channel alpha-1 subunit mRNA, complete cds, Length = 7193

Score = 87.7 bits (44), Expect = 5e-15
Identities = 44/44 (100%)
Strand = Plus / Plus

Query: 1 ctcatcgtaatcggcagcattatagacgtggccctcagcgaagc 44
||| ||||| |||||
Sbjct: 4001 ctcatcgtaatcggcagcattatagacgtggccctcagcgaagc 4044

Score = 946 bits (477), Expect = 0.0
Identities = 496/500 (99%), Gaps = 2/500 (0%)
Strand = Plus / Plus

Query: 49 aactctgaagagagcaatagaatctccatcacctttccgtctttccgagtgtgcga 108
||| ||||| ||||| |||||
Sbjct: 4094 aactctgaagagagcaatagaatctccatcacctttccgtctttccgagtgtgcga 4153

Query: 109 ttggtaagcttctcagcagggggaaaggcatccggacattgtgttgactttattaag 168
||| ||||| |||||
Sbjct: 4154 ttggtaagcttctcagcagggggaaaggcatccggacattgtgttgactttattaag 4213

Query: 169 tccttcaggcgctccgtatgtggccctcctcatagccatgtgttcttcatctatgcg 228
||| ||||| |||||
Sbjct: 4214 tccttcaggcgctccgtatgtggccctcctcatagccatgtgttcttcatctatgcg 4273

Query: 229 gtcattggcatgcagatgttggaaagtgtccatgagagataacaaccagatcaatagg 288
||| ||||| |||||
Sbjct: 4274 gtcattggcatgcagatgttggaaagtgtccatgagagataacaaccagatcaatagg 4333

Query: 289 aacaataacttccagacgttccccaggcggtgctgtgtcttcagggtgtcaacaggt 348
||| ||||| |||||
Sbjct: 4334 aacaataacttccagacgttccccaggcggtgctgtgtcttcagggtgtcaacaggt 4393

Query: 349 gaggcctggcaggagatcatgctggccctgtctcccaggaaagctctgtgaccctgagtca 408
||| ||||| |||||
Sbjct: 4394 gaggcctggcaggagatcatgctggccctgtctcccaggaaagctctgtgaccctgagtca 4453

Title: Purified and Isolated Platelet Calcium Channel Nucleic
Acids and Polypeptides and Therapeutic and Screening
Methods Using Same
Applicant(s): Malouf et al.
Attorney Docket No.: 421/29/2

Query: 409 gattacaacctcggggaggagtatacatgtggagcaacttgcattgtctatccatc 468
||||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4454 gattacaaccccgggaggagtatacatgtggagcaacttgcattgtctatccatc 4513

Query: 469 agnttttacatgctctgtgcatttctga-catcaatctgttggctgtcatcatgga 527
||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
Sbjct: 4514 agtttttacatgctctgtgcatttctgatcatcaatctgtt-gtggctgtcatcatgga 4572

Query: 528 taatttcgactatctgaccc 547
||||| ||||| |||||
Sbjct: 4573 taatttcgactatctgaccc 4592